.5

20

[CLAIMS]

- A process for the preparation of a nanoparticle dispersion of an optionally doped metal chalcogenide, comprising the steps of

 (a) performing a precipitation by mixing together appropriate aqueous solutions of metal cations, of chalcogenide anions, and optionally of a salt of the dopant respectively, thus forming a predispersion,
 - (b) performing a diafiltration and/or ultrafiltration washing step on said predispersion, characterized in that said step is performed in the presence of a compound capable of preventing agglomeration of the nanoparticles of the dispersion.
- A process according to claim 1 wherein said optionally doped metal chalcogenide is chosen from the group consisting of ZnS, ZnSe CdS, CdSe, doped ZnS, doped ZnSe, doped CdS and doped CdSe.
- 3. A process according to claim 2 wherein said metal chalcogenide is ZnS doped with Mn^{2+} or Cu^{+} ions.
- 4. A process according to claim 1 wherein said precipitation step is performed according to the double jet principle whereby a first solution containing said metal ions and optionally said dopant salt, and a second solution containing said chalcogenide anions are added simultaneously to a third solution.
- A process according to claim 1 wherein said compound preventing agglomeration of the nanoparticles of the dispersion is thioglycerol.
- 25 6. A process according to claim 1 wherein said compound preventing agglomeration of the nanoparticles of the dispersion is glycerol.
 - 7. A process according to claim 1 wherein said compound preventing agglomeration of the nanoparticles of the dispersion is a polyphosphate or polyphosphoric acid.

8. A process according to claim 1 wherein said compound preventing agglomeration of the nanoparticles of the dispersion is a hexametaphosphate.